

Bibliography of MODIS Snow Papers, updated 5-18-2012

1. Akyurek, Z., D.K. Hall, G.A. Riggs and A. Sensoy, 2010: "Evaluating the utility of the ANSA blended snow cover product in the mountains of eastern Turkey," *International Journal of Remote Sensing*, 31(14):3727-3744.
2. Andreadis, K.M. and D. P. Lettenmaier, 2006: Assimilating Remotely Sensed Snow Observations into a Macroscale Hydrology Model. *Advances in Water Resources*, 29: 872-886.
3. Anttila, S., S. Metsämäki and C. Derksen, 2006: A Comparison of Finnish SCAMod Snow Maps and MODIS Snow Maps in Boreal Forests in Finland and in Manitoba, Canada. *Geoscience and Remote Sensing Symposium, 2006. IGARSS 2006. Institute of Electrical and Electronics Engineers (IEEE) International Conference*, p. 2176-2179.
4. Appel, I.L. and V.V. Salomonson, 2002: Estimate of Fractional Snow Cover Using MODIS data. *IGARSS 2002: IEEE International Geoscience and Remote Sensing Symposium and 24th Canadian Symposium on Remote Sensing*, Vols I-VI, *Proceedings - Remote Sensing: Integrating Our View of the Planet*, 3044-3046.
5. Armstrong, R.L., M.J. Brodzik and M.H. Savoie, 2004: Enhanced Snow Cover Mapping Using Combined Optical and Passive Microwave Data. *Geoscience and Remote Sensing Symposium, IGARSS '04 Proceeding, 2004 Institute of Electrical and Electronics Engineers (IEEE) International*, 2: 861-864.
6. Ault, T.W., K.P. Czajkowski, T. Benko, J. Coss, J. Struble, A. Spongberg, M. Templin and C. Gross, 2006: Validation of the MODIS Snow Product and Cloud Mask Using Student and NWS Cooperative Station Observations in the Lower Great Lakes Region, *Remote Sensing of Environment* 105(4): 341-353. DOI: 10.1016/j.rse.2006.07.004.
7. Bawera, D. and C. De Michele, 2009: Snow water equivalent estimation in the Mallero basin using snow gauge data and MODIS images and fieldwork validation, *Hydrological Processes*, 23:1961-1972, DOI: 10.1002/hyp.7328.
8. Barlage, M., Z.B. Zeng, H.L. Wei and K.E. Mitchell, 2005: A Global 0.05 Degrees Maximum Albedo Dataset of Snow-Covered Land Based on MODIS Observations. *Geophysical Research Letters*, 32(17), doi:10.1029/2005GL022881.
9. Barnes, C.A. and D.P. Roy, 2010: Radiative forcing over the conterminous United States due to contemporary land cover land use change and sensitivity to snow and inter-annual albedo variability, *JGR – Biogeosciences*.
10. Barton, J.S., D.K. Hall and G.A. Riggs, 2000: Remote Sensing of Fractional Snow Cover Using Moderate Resolution Imaging Spectroradiometer (MODIS) Data, *Eastern Snow Conference*, 57: 171-183.
11. Bewley, D., Y. Alila and A. Varhola, 2010: Variability of snow water equivalent and snow energetics across a large catchment subject to Mountain Pine Beetle infestation and rapid salvage logging, *Journal of Hydrology*, 388:464–479, doi:10.1016/j.jhydrol.2010.05.031.
12. Bitner, D., T. Carroll, D. Cline and P. Romanov, 2002: An Assessment of the Differences Between Three Satellite Snow Cover Mapping Techniques, *Hydrological Processes*, 16(18): 3723-3733. DOI: 10.1002/hyp.1231.
13. Bocchiola, D. and B. Groppelli, 2010: Spatial estimation of snow water equivalent at different dates within the Adamello Park of Italy, *Cold Regions Science and Technology*, 63(3):97-109,

- doi:10.1016/j.coldregions.2010.06.001.
14. Bocchiola, D., G. Diolaiuti, A. Soncini, C. Mihalcea, C. D'Agata, C. Mayer, A. Lambrecht, R. Rosso, and C. Smiraglia, 2011: Prediction of future hydrological regimes in poorly gauged high altitude basins: the case study of the upper Indus, Pakistan, *Hydrol. Earth Syst. Sci. Discuss.*, 8:3743-3791, doi:10.5194/hessd-8-3743-2011.
 15. Box, J. E., Fettweis, X., Stroeve, J. C., Tedesco, M., Hall, D. K., and Steffen, K.: Greenland ice sheet albedo feedback: thermodynamics and atmospheric drivers, *The Cryosphere Discuss.*, 6, 593-634, doi:10.5194/tcd-6-593-2012, 2012.
 16. Brown, L., R. Thorne and M.K. Woo, 2008: Using Satellite Imagery to Validate Snow Distribution Simulated by a Hydrological Model in Large Northern Basins. *Hydrological Processes*, 22(15): 2777-2787, doi:10/1002/hyp.6999
 17. Brown, R., R. Fernandes, D.K. Hall, D. Massonnet, W. Park, P. Romanov and A. Simic, 2003: Validation of MODIS, Vegetation, and GOES+SSM/I Snow Cover Products over Canada Based on Surface Snow Depth Observations, *International Geoscience and Remote Sensing Symposium*, 2: 836-838.
 18. Brubaker, K. L., R.T. Pinker and E. Deviatova, 2005: Evaluation and Comparison of MODIS and IMS Snow-Cover Estimates for the Continental United States Using Station Data, *Journal of Hydrometeorology*, 6(6): 1002-1017.
 19. Bussières, N., D. De Séve and A. Walker, 2002: Evaluation of MODIS Snow-Cover Products Over Canadian regions, *Proceedings of IGARSS '02, Toronto, Canada*, p. 2302-2304.
 20. Calvin, W. M., M. Milman and H. H. Kieffer, 2002: Reflectance of Antarctica from 3 to 5 mu m: Discrimination of Surface Snow and Cloud Properties, *Annals of Glaciology*, 34: 121-126.
 21. Cao, Y.G. and C. Liu, 2006: Normalized Difference Snow Index Simulation for Snow-Cover Mapping in Forest By Geosail Model. *Chinese Geographical Science*, 16: 171-175.
 22. Cea, C., Cristobal, J., Pons, X. et al., 2007: An Improved Methodology to Map Snow Cover by Means of Landsat and MODIS Imagery. *IGARSS: 2007 IEEE International Geoscience and Remote Sensing Symposium, Vols 1-12 - Sensing and Understanding Our Planet*, 4217-4220, doi:10.1109/IGARSS.2007.4423781.
 23. Dankers, R., and S.M. De Jong, 2004: Monitoring Snow-Cover Dynamics in Northern Fennoscandia with SPOT VEGETATION Images, *International Journal of Remote Sensing*, 25(15): 2933-2949. DOI: 10.1080/01431160310001618374.
 24. Davidson, A. and S. S. Wang, 2004: The Effects of Sampling Resolution on the Surface Albedos of Dominant Land Cover Types in the North American Boreal Region, *Remote Sensing of the Environment*, 93(1-2): 211-224.
 25. Davis, R.E., T.H. Painter, D. Cline, R. Armstrong, T. Haran, K. McDonald, et al., 2008: NASA Cold Land Processes Experiment (CLPX 2002/03): Spaceborne Remote Sensing, *Journal of Hydrometeorology*, 9(6): 1427-1433.
 26. de Wildt, M. de Ruyter, G. Seiz and A. Gruen, 2007: Operational Snow Mapping Using Multitemporal Meteosat SEVIRI Imagery, *Remote Sensing of Environment*, 109(1): 29-41.
 27. Derksen, C. and E. LeDrew, 2000: Variability and Change in Terrestrial Snow Cover: Data Acquisition and Links to the Atmosphere, *Progress in Physical Geography*, 24(4): 469-498. <http://ppg.sagepub.com/cgi/content/abstract/24/4/469>

28. Déry, S., V.V. Salomonson, M. Stieglitz, D.K. Hall and I. Appel, 2005: An Approach to Using Snow Areal Depletion Curves Inferred from MODIS and its Application to Land Surface Modeling in Alaska, *Hydrological Processes*, 19: 2755-2774.
29. Dong, J. and C. Peters-Lidard, 2010: On the Relationship Between Temperature and MODIS Snow Cover Retrieval Errors in the Western U.S., *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 3(1):132-140, doi: 10.1109/JSTARS.2009.2039698.
30. Drusch, M., D. Vasiljevic and P. Viterbo, 2004: ECMWF's Global Snow Analysis: Assessment and Revision Based on Satellite Observations, *Journal of Applied Meteorology*, 43(9): 1282-1294.
31. Durand, M., N.P. Molotch and S.A. Margulis, 2008: Merging Complementary Remote Sensing Datasets in the Context of Snow Water Equivalent Reconstruction, *Remote Sensing of Environment*, 112(3): 1212-1225. DOI:10.1016/j.rse.2007.08.010.
32. Endrizzi, S., G. Bertoldi, M. Neteler and R. Rigon, 2006: Snow cover patterns and evolution at basin scale: GEOTop model simulations and remote sensing observations, *Proceedings of the 63rd Eastern Snow Conference*, 7 – 9 June 2006, Newark, Del., pp. 195-209.
33. Foster, J.L., D.K. Hall, J.B. Eylander, G.A. Riggs, S.V. Nghiem, M. Tedesco, E.J. Kim, P.M. Montesano, R.E.J. Kelly, K.A. Casey and B. Choudhury, 2011: “A blended global snow product using visible, passive microwave and scatterometer data,” *International Journal of Remote Sensing*, 32(5):1371-1395. doi.org/10.1080/01431160903548013.
34. Flueraru, C., G. Stancalie, S. Catana, E. Savin, and A. Irimescu, 2005: Estimation of Snow Cover Extent in Carpathian Mountains Using Integrated GIS and Remote Sensing Information, *Proc. IGARSS 2005 – must check on this*, pp 567-572, doi: 10.1109/RAST.2005.1512632
35. Flueraru, C., G. Stqancalie, E. Savin and V. Craciunescu, 2006: Validation of MODIS snowcover products in Romania, methodology and conclusions, *Proceedings of the 9th AGILE Conference on Geographic Information Science*, Visegrad, Hungary, pp. 21-28.
36. Flueraru, C., et al, 2007: Research Article: A Validation of MODIS Snowcover Products in Romania: Challenges and Future Directions, *Transactions in GIS*, 11(6): 927-941. DOI:10.1111/j.1467-9671.2007.01074.x.
37. Flueraru, C., G. Stancalie, E. Savin and V. Craciunescu, 2006: Validation of MODIS Snowcover Products in Romania: Methodology and Conclusions, *presented at the 9th AGILE Conference on Geographic Information Science*, Visegrád, Hungary.
38. Foppa, N. and G. Seiz, 2012: Inter-annual variations of snow days over Switzerland from 2000-2010 derived from MODIS satellite data, *The Cryosphere*, 6:331-342, doi:10.5194/tc-6-331.
39. Frei, A., 2009: A new generation of satellite snow observations for large scale Earth system studies, *Geography Compass*, 3(3):879-902, DOI 10.1111/j.1749-8198.2009.00221x.
40. Frei, A. and S. Lee, 2010: A comparison of optical-band based snow extent products during spring over North America, *Remote Sensing of Environment*, 114:1940-1948.

41. Frei, A., M. Tedesco, S. Lee, J. Foster, D. Hall, R. Kelly and D. Robinson, 2012: A review of current-generation satellite-based snow products, *Advances in Space Research*, doi:10.1016/j.asr.2011.12.021.
42. Gafurov, A. and A. Bardossy, 2009: Cloud Removal Methodology from MODIS Snow Cover Product. *Hydrology and Earth System Sciences*, 13: 1361-1373.
43. Gao, Y., H. Xie, T. Yao and C. Xue, 2010: Integrated assessment on multi-temporal and multi-sensor combinations for reducing cloud obscuration of MODIS snow cover products of the Pacific Northwest USA, *Remote Sensing of Environment*, 114(8):1662-1675, doi:10.1016/j.rse.2010.02.017.
44. Gao, Y., H. Xie, N. Lu, T. Yao, and T. Liang, 2010. Toward advanced daily cloud-free snow cover and snow water equivalent products from Terra-Aqua MODIS & Aqua AMSR-E measurements, *Journal of Hydrology*, 385(1-4):23-35, doi:10.1016/j.jhydrol.2010.01.022.
45. Gao, Y., H. Xie, and T. Yao, 2011, Developing snow cover parameters maps from MODIS, AMSR-E and blended snow products, *Photogrammetric Engineering and Remote Sensing*, 77(4):351-361.
46. Gao, Y., N. Lu, and T. Yao, 2011: Evaluation of a cloud-gap-filled MODIS daily snow cover product over the Pacific Northwest USA, *Journal of Hydrology*, 404:3-4:15 –165.
47. Georgievsky, M.V., 2009: Application of the Snowmelt Runoff model in the Kuban river basin using MODIS satellite images, *Environmental Research Letters*, 4:1-5, doi:10.1088/1748-9326/4/4/045017.
48. Gillan, B.J., J.T. Harper and J.N. Moore, 2010: Timing of present and future snowmelt from high elevations of NW Montana, *Water Resources Research*, 46, W01507, doi:10.1029/2009WR007861.
49. Gomez-Landesa, E. and A. Rango, 2002: Computer Simulation of Shaded Areas in The Upper Rio Grande Basin for Satellite Snow Mapping and Snowmelt Runoff Forecasting. *IGARSS 2002: IEEE International Geoscience and Remote Sensing Symposium and 24th Canadian Symposium on Remote Sensing*, Vols I-Vi, *Proceedings - Remote Sensing: Integrating Our View of the Planet*, 2190-2192.
50. Gurung, D.R., A.V. Kulkarni, A. Giriraj, K.S. Aung, B. Shrestha and J. Srinivasan, 2011: Changes in seasonal snow cover in Hindu Kush-Himalayan region, *The Cryosphere Discuss.*, 5:755-777, doi:10.5194/tcd-5-755-2011.
51. Hall, D.K., A.B. Tait, J.L. Foster, A.T.C. Chang and M. Allen, 2000: Intercomparison of Satellite-Derived Snow-Cover Maps. In: Steffen, K. (ed.), *Annals of Glaciology*, Vol 31, 369-376.
52. Hall, D.K. and G.A. Riggs, 2000: Early Analysis of the EOS MODIS Snow Cover Data Products, *Proceedings Eastern Snow Conference*, 57: 159-160.
53. Hall, D.K., G.A. Riggs and V.V. Salomonson, 2001: Mapping Global Snow Cover Using Moderate Resolution Imaging Spectroradiometer (MODIS) Data, *Glaciological Data*, p. 33-36.
54. Hall, D.K., G.A. Riggs, V.V. Salomonson and G.R. Scharfen, 2001: Early Results from the Moderate Resolution Imaging Spectroradiometer (MODIS) Global Snow and Ice Cover Products, *IGARSS 2000; Institute of Electrical and Electronics Engineers (IEEE) 2000 International Geoscience and Remote Sensing Symposium: Taking the Pulse of the Planet; the Role of Remote Sensing in Managing the Environment*: July 24-28, 2000: Honolulu, HI, United States, 4: 1763-1765.

55. Hall, D.K., G.A. Riggs, V.V. Salomonson and G.R. Scharfen, 2001: Earth Observing System (EOS) Moderate Resolution Imaging Spectroradiometer (MODIS) Global Snow-Cover Maps, *IAHS Proceedings and Reports*, 267: 55-60.
56. Hall, D.K., G.A. Riggs, V.V. Salomonson and J.Y.L. Chien, 2001: Snow-Cover Variability in North America in the 2000-2001 Winter as Determined from MODIS Snow Products, *Geoscience and Remote Sensing Symposium, IGARSS '01, Institute of Electrical and Electronics Engineers (IEEE) 2001 International*, 3: 1206-1208.
57. Hall, D.K., J.L. Foster, V.V. Salomonson, A.G. Klein and J.Y.L. Chien, 2001: Development of a Technique to Assess Snow-Cover Mapping Errors from Space, *Institute of Electrical and Electronics Engineers (IEEE) Transactions on Geoscience and Remote Sensing*, (39)2: 432-438.
58. Hall, D.K., G.A. Riggs, V.V. Salomonson and G.R. Scharfen, 2001: Earth Observing System (EOS) Moderate Resolution Imaging Spectroradiometer (MODIS) Global Snow-Cover Maps. In: Owe, M., Braubaker, K., Ritchie, J. and Rango, A. (eds.), *Remote Sensing and Hydrology*, 200055-60.
59. Hall, D.K., G.A. Riggs, V.V. Salomonson, N.E. DiGirolamo and K.J. Bayr, 2002: MODIS Snow-Cover Products, *Remote Sensing of Environment*, 83(1-2): 181-194.
60. Hall, D.K., R. Solberg and G.A. Riggs, 2002: Validation of Satellite Snow-Cover Maps in North America and Norway, *Proceedings Eastern Snow Conference*, 59: 55-63.
61. Hall, D.K., R.E.J. Kelly, G.A. Riggs, A.T.C. Chang and J.L. Foster, 2002: Assessment of the Relative Accuracy of Hemispheric-Scale Snow-Cover Maps. *Annals of Glaciology*, 34:24-30.
62. Hall, D.K., V.V. Salomonson, G.A. Riggs and A.G. Klein, 2003: Snow and Ice Products from the Moderate Resolution Imaging Spectroradiometer, *Proceedings of the ASPRS meeting, 5-9 May 2003, Anchorage, AK*.
63. Hall, D.K., J.L. Foster, D.A. Robinson and G.A. Riggs, 2004: Merging the MODIS and RUCL Monthly Snow-Cover Records, *Proceedings of IGARSS 2004*, Vols 1-7 - *Science for Society: Exploring and Managing a Changing Planet*, 1318-1321.
64. Hall, D.K., J.Key, K.A. Casey, G.A. Riggs and D. J. Cavalieri, 2004: Sea ice surface temperature product from the Moderate-Resolution Imaging Spectroradiometer (MODIS), *IEEE Transactions on Geoscience and Remote Sensing*, 42(5):1076-1087.
65. Hall, D.K., Williams, R.S., Steffen, K. and Chien, J.Y.L., 2004: Analysis of Summer 2002 Melt Extent on the Greenland Ice Sheet Using MODIS and SSM/I Data. *IGARSS 2004: IEEE International Geoscience and Remote Sensing Symposium Proceedings*, Vols 1-7 - *Science for Society: Exploring and Managing a Changing Planet*, 3029-3032.
66. Hall, D.K., R. Solberg, K.A. Casey and J.-G. Winther, 2004: Comparison of MODIS and SnowStar Snow Maps in Scandinavia, *Proceedings of the 61st Eastern Snow Conference, 9-11 June 2004, Portland, ME*.
67. Hall, D.K., Foster, J. L., Robinson, D. A. and Riggs, G. A., 2004: Merging the MODIS and RUCL Monthly Snow-Cover Records, *IGARSS 2004: IEEE International Geoscience and Remote Sensing Symposium Proceedings*, Vols 1-7 - *Science for Society: Exploring and Managing a Changing Planet*, 1318-1321.
68. Hall, D.K., G.A. Riggs and V.V. Salomonson, 2006: MODIS Snow and Sea Ice Products, in *Earth Science Satellite Remote Sensing - Volume I: Science and Instruments*, J.J. Qu, W.

- Gao, M. Kafatos, R.E. Murphy and V.V. Salomonson (eds.), Springer, New York, pp. 154 – 181.
69. Hall, D.K., R.S. Williams, K.A. Casey, N.E. DiGirolamo and Z. Wan, 2006: Satellite-Derived, Melt-Season Surface Temperature of the Greenland Ice Sheet (2000-2005) and Its Relationship to Mass Balance. *Geophysical Research Letters*, 33.
70. Hall, D.K., P.M. Montesano, J.L. Foster, G.A. Riggs, R.E.J. Kelly and K. Czajkowski, 2007: Preliminary Evaluation of the AFWA-NASA Blended Snow-Cover Product Over the Lower Great Lakes Region, *64th Eastern Snow Conference, St. Johns, Newfoundland, Canada*.
71. Hall, D.K. and G.A. Riggs, 2007: Accuracy Assessment of the MODIS Snow Products, *Hydrological Processes*, 21(12): 1534-1547.
72. Hall, D.K., J.E. Box, K.A. Casey, S.J. Hook, C.A. Shuman and K. Steffen, 2008: Comparison of Satellite-Derived and In-Situ Observations of Ice and Snow Surface Temperatures over Greenland, *Remote Sensing of Environment*, 112: 3739-3749.
73. Hall, D.K., S.V. Nghiem, C.B. Schaaf, N.E. DiGirolamo and G. Neumann, 2009: Evaluation of Surface and Near-Surface Melt Characteristics on the Greenland Ice Sheet Using MODIS and Quikscat Data. *Journal of Geophysical Research-Earth Surface*, 114.
74. Hall, D.K., C.B. Schaaf, Z. Wang and G.A. Riggs, 2009: Enhancement of the MODIS daily snow albedo product, *Proceedings of the 89th Annual AMS meeting, 23rd Conference on Hydrology*, 12-16 January 2009, Phoenix, Ariz.
75. Hall, D.K., G.A. Riggs, J.L. Foster and S.V. Kumar, 2010: Development and evaluation of a cloud-gap-filled MODIS daily snow-cover product, *Remote Sensing of Environment*, 114:496-503, doi:10.1016/j.rse.2009.10.007, doi:10.1016/j.rse.2009.10.007.
76. Hall, D.K., J.L. Foster, N.E. DiGirolamo, J.S. Barton and G.A. Riggs, in press: "Snow cover and stream discharge in the Wind River Range, Wyoming, 1970 – 2009," *Remote Sensing of Hydrology 2010*, Proceedings of the IAHS conference, 27-30 September 2010, Jackson Hole, Wyo.
77. Hall, D.K., J.L. Foster, N.E. DiGirolamo and G.A. Riggs, 2012: "Snow cover, snowmelt timing and stream power in the Wind River Range, Wyoming, *Geomorphology*, doi:10.1016/j.geomorph.2010.11.011.
78. Hall, D. K., Foster, J. L., Kumar, S., Chien, J. Y. L., and G.A. Riggs, 2012: Improving the accuracy of the AFWA-NASA (ANSA) blended snow-cover product over the Lower Great Lakes region, *Hydrol. Earth Syst. Sci. Discuss.*, 9, 1141-1161, doi:10.5194/hessd-9-1141-2012.
79. Hay, L.E., Leavesley, G.H., and Clark, M.P., 2006. Use of remotely-sensed snow covered area in watershed model calibration for the Sprague River, Oregon. *Proc. Of the Joint 8th Federal Interagency Sedimentation Conference and 3rd Federal Interagency Hydrologic Modeling Conference*, April 2-6, 2006, Reno, Nevada.
80. Homan, J. W., C.H. Luce, J.P. McNamara, and N.P. Glen, 2011: Improvement of distributed snowmelt energy balance modeling with MODIS-based NDSI-derived fractional snow-covered area data, *Hydrological Processes*, 25:650-660, doi:**10.1002/hyp.7857**.
81. Hori, M., Aoki, T., Stamnes, K. and Li, W., 2007: ADEOS-II/GLI Snow/Ice Products - Part III: Retrieved Results. *Remote Sensing of Environment*, 111: 291-336.

82. Huang, X., T. Liang, X. Zhang, Z. Guo, 2011: Validation of MODIS snow cover products using Landsat and ground measurements during the 2001-2005 snow seasons over northern Xinjiang, China, *International Journal of Remote Sensing*, 32: 1, 133 — 152.
83. Hüsler, F., T. Jonas, S. Wunderle and S. Albrecht, 2012: Validation of a modified snow cover retrieval algorithm from historical 1-km AVHRR data over the European Alps, *Remote Sensing of Environment*, 121(2012):497– 515.
84. Hyvarinen, O., Eerola, K., Siljamo, N. and Koskinen, J., 2009: Comparison of Snow Cover from Satellite and Numerical Weather Prediction Models in the Northern Hemisphere and Northern Europe. *Journal of Applied Meteorology and Climatology*, 48: 1199-1216.
85. Ichii, K., White, M.A., Votava, P., Michaelis, A. and Nemani, R.R., 2008: Evaluation of Snow Models in Terrestrial Biosphere Models Using Ground Observation and Satellite Data: Impact on Terrestrial Ecosystem Processes. *Hydrological Processes*, 22: 347-355.
86. Immerzeel, W.W., Droogers, P., de Jong, S.M. and Bierkens, M.F.P., 2009: Large-Scale Monitoring of Snow Cover and Runoff Simulation in Himalayan River Basins Using Remote Sensing. *Remote Sensing of Environment*, 113: 40-49.
87. Jain, S.K., A. Goswami and A.K. Saraf, 2008: Accuracy Assessment of MODIS, NOAA and IRS Data in Snow Cover Mapping Under Himalayan Conditions, *International Journal of Remote Sensing*, iFirst Article, 1-16. DOI: 10.1080/01431160801908129.
88. Justice, C., Townshend, J., Vermote, E., Sohlberg, R., Descloitres, J., Roy, D., Hall, D., Salomonson, V., Riggs, G., Huete, A., Didan, K., Miura, T., Wan, Z.M., Strahler, A., Schaaf, C., Myneni, R., Running, S., Glassy, J., Nemani, R., El Saleous, N. and Wolfe, R., 2000: Preliminary Land Surface Products from the NASA moderate Resolution Imaging Spectroradiometer (MODIS). In: Stein, T.I. (ed.), *IGARSS 2000: IEEE 2000 International Geoscience and Remote Sensing Symposium, Vol I - Vi, Proceedings*, 1157-1162.
89. Justice, C., et al, 2001: The Availability and Status of MODIS Land Data Products, *The Earth Observer*, 12(6): 10-17.
90. Justice, C.O., 2002: An Overview of MODIS Land Data Processing and Product Status, *Remote Sensing of Environment*, 83(1): 3-15.
91. Kaminski, M., Weaver, R., Marquis, M., Meier, W. and IEEE, 2004: Cryospheric Products from Earth Observing System Satellites at the National Snow and Ice Data Center. *IGARSS 2004: IEEE International Geoscience and Remote Sensing Symposium Proceedings, Vols 1-7 - Science for Society: Exploring and Managing a Changing Planet*, 2200-2203.
92. Karlsen, S.R., Malnes, E., Haarpaintner, J. and Solberg, R., 2007: Mapping and Modeling the Snowmelt and Greening Pattern in Southern Norway by Combining Microwave and Optical Remote Sensing Sensors. *IGARSS: 2007 IEEE International Geoscience and Remote Sensing Symposium, Vols. 1-12 - Sensing and Understanding Our Planet*, 1279-1282, doi: 10.1109/IGARSS.2007.4423039.
93. Kelly, R.E.J., A.T.C. Chang, J.L. Foster and D.K. Hall, 2003: The Effect of Sub-Pixel Areal Distribution of Snow on the Estimation of Snow Depth from Spaceborne Passive Microwave Instruments, *Proceedings IGARSS '03*, 4: 2834.
94. Kelly, R.E.J., et al, 2004: Using Remote Sensing and Spatial Models to Monitor Snow Depth and Snow Water Equivalent, *Spatial Modeling of the Terrestrial Environment*, edited by R. Kelly, N. Drake, S. Barr, C 2004 John Wiley & Sons, Ltd 35-58.

95. Khlopenkov, K.V. and A.P. Trischenko, 2007: SPARC: New Cloud, Snow, and Cloud Shadow Detection Scheme for Historical 1-km AVHRR Data Over Canada, *Journal of Atmospheric and Oceanic Technology*, 24(3): p. 322-343.
96. Klein, A.G., D.K. Hall, G.A. Riggs and I. Isrse, 1998: Global Snow Cover Monitoring Using MODIS, *Proc. Int'l. Symposium on Remote Sensing of Environment*, 8-12 June, 1998, Tromso, Norway, 363-366 p.
97. Klein, A.G., D.K. Hall and K. Seidel, 1998: Algorithm Intercomparison for Accuracy Assessment of the MODIS Snow-Mapping Algorithm. In: Taylors, S. and Hardy, J. (eds.), *Proceedings of the Fifty-Fifth Annual Eastern Snow Conference*, 37-45.
98. Klein, A.G. and A.C. Barnett, 2003: Validation of Daily MODIS Snow Cover Maps of the Upper Rio Grande River Basin for the 2000-2001 Snow Year. *Remote Sensing of Environment*, 86: 162-176.
99. Klein A.G and J. Stroeve, 2002: Development and Validation of a Snow Albedo Algorithm for the MODIS Instrument, *Annals of Glaciology*, 34: 45-52.
100. Klein, A.G., 2003: Determination of Broadband Albedos of Partially Snow-Covered Sites for Validation of MODIS Snow Albedo Retrievals, *Eastern Snow Conference*, 60: 23-35.
101. Klein A.G. and A.C. Barnett, 2003: Validation of daily MODIS snow maps of the Upper Rio Grande River Basin for the 2000-2001 snow year, *Remote Sensing of Environment*, 86: 162-176. DOI: 10.1016/S0034-4257(03)00097-X.
102. Klein, A.G., D.K. Hall and G.A. Riggs, 1998: Improving Snow Cover Mapping in Forests Through the Use of a Canopy Reflectance Model, *Hydrological Processes*, 12(10/11): 1723-1744.
103. Kuchment L.S., P. Romanov, A.N. Gelfan, and V.N. Demidov, 2010: Use of satellite-derived data for characterization of snow cover and simulation of snowmelt runoff through a distributed physically based model of runoff generation, *Hydrol. Earth Syst. Sci.*, 14, 339–350.
104. Lee, S.W., A.G. Klein, and T.M. Over, 2005: A Comparison of MODIS and NOHRSC Snow-Cover Products for Simulating Streamflow Using the Snowmelt Runoff Model. *Hydrological Processes*, 19: 2951-2972.
105. Li, X.G. and M.W. Williams, 2008: Snowmelt Runoff Modeling in an Arid Mountain Watershed, Tarim Basin, China. *Hydrological Processes*, 22: 3931-3940.
106. Li, B., A. Zhu, C. Zhou, Y. Zhang, T. Pei and C. Qin, 2008: Automatic Mapping of Snow Cover Depletion Curves Using Optical Remote Sensing Data Under Conditions of Frequent Cloud Cover and Temporary Snow, *Hydrological Processes*, 22(16): 2930-2942. DOI: 10.1002/hyp.6891.
107. Li, X. and M.W. Williams, 2008: Snowmelt Runoff Modeling in an Arid Mountain Watershed, Tarim Basin, China, *Hydrological Processes*, 22(19): 3931-3940. DOI: 10.1002/hyp.7098.
108. Liang, S., J. Stroeve and J.E. Box, 2005: Mapping Daily Snow/Ice Shortwave Broadband Albedo from Moderate Resolution Imaging Spectroradiometer (MODIS): The Improved Direct Retrieval Algorithm and Validation with Greenland In Situ Measurement, *Journal of Geophysical Research – Atmospheres*, 110(D10).
109. Liang, T., X. Huang, C.Wu, X. Liu, W. Li, Z. Guo and J. Ren, 2008: An Application of MODIS

- Data to Snow Cover Monitoring in a Pastoral Area: A Case Study in Northern Xinjiang, China, *Remote Sensing of Environment*, 112(4): 1514-1526.
110. Liang, T., X. Zhang and H. Xie, et al., 2008: Toward Improved Daily Snow Cover Mapping with Advanced Combination of MODIS and AMSR-E Measurements, *Remote Sensing of Environment*, 112(10): 3750-3761. DOI: 10.1016/j.rse.2008.05.010.
 111. Linde, J. and S. Grab, 2011: The changing trajectory of snow mapping, *Progress in Physical Geography*, 35(2):139-160, doi: 10.1177/030913311399493.
 112. Liu, S.H. and Shi, J.C, 2002: MODIS Fraction Snow Mapping. *IGARSS 2002: IEEE International Geoscience and Remote Sensing Symposium and 24th Canadian Symposium on Remote Sensing, Vols I-Vi, Proceedings - Remote Sensing: Integrating Our View of the Planet*, 2196-2198.
 113. Liu, Z.M., Zhan, C.X., Sun, J.X. and Wei, Y., 2009: The Extraction of Snow Cover Information Based on MODIS Data and Spatial Modeler Tool, *2008 International Workshop on Education Technology and Training & 2008 International Workshop on Geoscience and Remote Sensing*, Shanghai, China, 21-22 Dec., ISBN: 978-0-7695-3563-0, 836-839 p.
 114. Lopez, P., Sirguey, P., Arnaud, Y., Pouyaud, B. and Chevallier, P., 2008: Snow Cover Monitoring in the Northern Patagonia Icefield Using MODIS Satellite Images (2000-2006). *Global and Planetary Change*, 61: 103-116. DOI: 10.1016/j.gloplacha.2007.07.005.
 115. Malcher, P., Floricioiu, D., Rott, H. and IEEE, I.I., 2003: Snow Mapping in Alpine Areas Using Medium Resolution Spectrometric Sensors. *IGARSS 2003: IEEE International Geoscience and Remote Sensing Symposium, Vols I - VII, Proceedings - Learning from Earth's Shapes and Sizes*, 2835-2837, doi: [10.1109/IGARSS.2003.1294603](https://doi.org/10.1109/IGARSS.2003.1294603).
 116. Matsuoka, M., T. Hayasaka, Y. Fukushima and Y. Honda, 2007: Land Cover in East Asia Classified Using Terra MODIS and DMSP OLS Products, *International Journal of Remote Sensing*, 28(2): 221-248.
 117. Maurer, E.P., J.D. Rhoads, R.O. Dubayah and D.P. Lettenmaier, 2003: Evaluation of the Snow-Covered Area Data Product from MODIS, *Hydrologic Processes*, 17(1): 59-71. DOI: 10.1002/hyp.1193.
 118. McGuire, M., A. Wood, Q. Zeng and D. Lettenmaier, 2005: Use of MODIS Snow Cover Imagery for Streamflow and Reservoir Storage Forecasts in the Snake River Basin, *85th AMS Annual Meeting (San Diego, Ca.), 19th Conference on Hydrology*, January 2005.
 119. McGuire, M., A.W. Wood, A.F. Hamlet and D.P. Lettenmaier, 2006: Use of Satellite Data for Streamflow and Reservoir Storage Forecasts in the Snake River Basin, *Journal of Water Resources Planning and Management*, 132(2): 97-110. DOI:10.1061/(ASCE)0733-9496(2006)132:2(97).
 120. McLean, B., et al, 2000: Remote Sensing Data Sets for Monitoring Snow Extent, *AGU Fall Meeting 2000*, session H52B-08.
 121. Miller, S.D., Lee, T.F. and Fennimore, R.L., 2005: Satellite-Based Imagery Techniques for Daytime Cloud/Snow Delineation from MODIS. *Journal of Applied Meteorology*, 44: 987-997.
 122. Ming, J., Z. Du, C. Xiao, X. Xu and D. Zhang, 2012: The mid-Himalaya glaciers are darkening since 2000 and the potential causes, *Environmental Research Letters*, 7, doi:10.1088/1748-9326/7/1/014021.

123. Mishra, V.D., Negi, H.S., Rawat, A.K., Chaturvedi, A. and Singh, R.P., 2009: Retrieval Of Sub-Pixel Snow Cover Information In The Himalayan Region Using Medium And Coarse Resolution Remote Sensing Data. *International Journal of Remote Sensing*, 30: 4707-4731.
124. Molotch, N.P. and S.A. Margulis, 2008: Estimating the Distribution of Snow Water Equivalent Using Remotely Sensed Snow Cover Data and A Spatially Distributed Snowmelt Model: A Multi-Resolution, Multi-Sensor Comparison, *Advances in Water Resources*, 31(11): 1503–1514. DOI: 10.1016/j.advwatres.2008.07.017.
125. Molotch, N.P., 2009: Reconstructing snow water equivalent in the Rio Grande headwaters using remotely sensed snow cover data and a spatially distributed snowmelt model, *Hydrological Processes*, 23, 1076–1089, doi: 10.1002/hyp.7206.
126. Molotch, N.P., S.A. Margulis and S.M. Jepsen, 2010: Response to comment by A.G. Slater, M.P. Clark, and A.P. Barrett on “Estimating the distribution of snow water equivalent using remotely sensed snow cover data and a spatially distributed snowmelt model: A multi-resolution, multi-sensor comparison,” *Advances in Water Resources*, 33:231-239, doi:10.1016/j.advwatres.2009.09.001.
127. Moore, G. W. K., 2004: Mount Everest Snow Plume: A Case Study, *Geophysical Research Letters*, 31(22): L22102/1-4.
128. Moradkhani, H., 2008: Hydrologic Remote Sensing and Land Surface Data Assimilation, *Sensors*, 8, 2986-3004; DOI: 10.3390/s8052986.
129. Nagler, T., Rott, H., Malcher, P. and Muller, F., 2008: Assimilation of Meteorological and Remote Sensing Data for Snowmelt Runoff Forecasting. *Remote Sensing of Environment*, 112: 1408-1420.
130. Narasimhan, R., D. Stow, 2010: Daily MODIS products for analyzing early season vegetation dynamics across the North Slope of Alaska, *Remote Sensing of Environment*, 114(6):1251 – 1262.
131. Negi, H.S., S. K. Singh, A. V. Kulkarni & B. S. Semwal (2010): Field-based spectral reflectance measurements of seasonal snow cover in the Indian Himalaya, *International Journal of Remote Sensing*, 31:9, 2393-2417.
132. Niemi, K., S. Metsamaki, J. Pullainen, H. Suokanerva, K. Bottcher, M. Lepparanta and P. Pelikka, in press: The behaviour of mast-borne spectra in a snow-covered boreal forest, *RSE*, 113(5):907-918.
133. Nolin, A.W., 2010: Recent advances in remote sensing of seasonal snow, *Journal of Glaciology*, 56(200):1141-1150.
134. Parajka, J. and G. Blöeschl, 2006: Validation of MODIS Snow Cover Images Over Austria, *Hydrology and Earth System Sciences*, 10(5): 679-689.
135. Parajka, J. and G. Bloschl, 2008: Spatio-Temporal Combination of MODIS Images -- Potential for Snow Cover Mapping, *Water Resources Research*, 44: W03406. DOI: 10.1029/2007WR006204.
136. Parajka, J. and G. Bloschl, 2008: The Value of MODIS Snow Cover Data in Validating and Calibrating Conceptual Hydrologic Models, *Journal of Hydrology*, 358(3-4): 240-258. DOI: 10.1016/j.jhydrol.2008.06.006.

137. Parajka, J., L. Holko, Z. Kostka and G. Bloschl, 2012: MODIS snow cover mapping accuracy in small mountain catchment – comparison between open and forest sites, *Hydrol. Earth Syst. Sci. Discuss.*, 9, 4073–4100, 2012, doi:10.5194/hessd-9-4073-2012.
138. Paudel, K.P. and P. Anderson, 2011: Monitoring snow cover variability in an agropastoral area in the Trans Himalayan region of Nepal using MODIS data with improved cloud removal methodology, *Remote Sensing of Environment* 115 (2011) 1234–1246.
139. Pinker, R.T., X. Li, W. Meng and E.A. Yegorova, 2007: Toward Improved Satellite Estimates of Short-Wave Radiative Fluxes - Focus on Cloud Detection Over Snow: 2. Results, *Journal of Geophysical Research – Atmospheres*, 112(D9) D09204.
140. Pinty, B., et al, 2008: Partitioning the Solar Radiant Fluxes in Forest Canopies in the Presence of Snow, *Journal of Geophysical Research, Atmospheres*, 113 D04104. DOI: 10.1029/2007JD009096.
141. Platnick, S., M. D. King, S. A. Ackerman, et al, 2003: The MODIS Cloud Products: Algorithms and Examples from Terra, *Institute of Electrical and Electronics Engineers (IEEE) Transactions on Geosciences and Remote Sensing*, 41(2): 459-473.
142. Poon, S. K. M. and C. Valeo, 2006: Investigation of the MODIS Snow Mapping Algorithm During Snowmelt in the Northern Boreal Forest of Canada, *Canadian Journal of Remote Sensing*, 32(3): 254-267.
143. Pu, Z., L. Zu and V.V. Salomonson, 2007: MODIS/Terra Observed Seasonal Variations of Snow Cover Over the Tibetan Plateau, *Geophysical Research Letters*, 34(6): L06706. DOI: 10.1029/2007GL029262.
144. Pu, Z.X. and Xu, L., 2009: MODIS/Terra Observed Snow Cover Over the Tibet Plateau: Distribution, Variation and Possible Connection with the East Asian Summer Monsoon (EASM). *Theoretical and Applied Climatology*, 97: 265-278.
145. Qu, J., G. Serafino, M. Kafatos, R. Lathrop and J. Trimble, 2001: New Application of Earth Science Remote Sensing Data at NASA/GESDISC: Remote Sensing Information Partner (RSIP) with Rutgers University, *Geoscience and Remote Sensing Symposium, IGARSS '01, Institute of Electrical and Electronics Engineers (IEEE) 2001 International*, 5: 2289-2291.
146. Rakwatin, P., W. Takeuchi and Y. Yoshifumi, 2009: Restoration of Aqua MODIS Band 6 Using a Histogram Matching and Local Least Squares Fitting, *IEEE Transactions on Geoscience and Remote Sensing*, 47(2):613.
147. Reed, B., Budde, M., Spencer, P. and Miller, A.E., 2009: Integration of MODIS-derived Metrics to Assess Interannual Variability in Snowpack, Lake Ice, and NDVI in Southwest Alaska. *Remote Sensing of Environment*, 113: 1443-1452.
148. Riggs, G.A. and Hall, D.K., 2004: Snow and Cloud Discrimination Factors in the MODIS Snow Algorithm. *IGARSS 2004: IEEE International Geoscience and Remote Sensing Symposium Proceedings, Vols 1-7 - Science for Society: Exploring and Managing a Changing Planet*, 3714-3716.
149. Riggs, G.A. and D. K. Hall, 2003: Reduction of Cloud Obscuration in the MODIS Snow Data Product, *Proceedings of the 61st Eastern Snow Conference*, 4-6 June 2003, Sherbrooke, Quebec, Canada, pp. 81-84.
150. Riggs, G.A. and D.K. Hall, 2004: Snow Mapping with the MODIS Aqua Instrument, *Eastern Snow Conference*, Portland, Maine, 61: 81-84.

151. Riggs, G.A., D.K. Hall and V.V. Salomonson, 2006: *MODIS Snow Products User Guide to Collection 5*. http://nsidc.org/data/docs/daac/modis_v5/dorothy_snow_doc.pdf.
152. Riggs, G.A., N. DiGirolamo and D.K. Hall, 2005: Comparison of MODIS Daily Global Fractional Snow Cover Maps at 0.05 and 0.25 Degree Resolutions, *Proceedings of the 62nd Eastern Snow Conference*, 7-10 June 2005, Waterloo, ON, Canada.
153. Riggs, G.A., N. DiGirolamo and D.K. Hall, 2005: Comparison of MODIS Daily Fractional Snow-Cover Maps at 0.5- and 0.25- Degree Resolutions, *62nd Eastern Snow Conference Proceedings*, p. 21-28.
154. Riggs, G.A. and D.K. Hall, in press: MODIS Snow and Ice Products – Assessment and Applications, *NASA's Earth Observing System and the Science of ASTER*, B. Ramachandran (ed.), Springer-Verlag.
155. Rodel, M. and P.R. Houser, 2004: Updating a Land Surface Model with MODIS Derived Snow Cover, *Journal of Hydrometeorology*, 5(6): 1064-1075.
156. Ropelewski, C.F., 1991: Real-Time Climate Monitoring of Global Snow Cover, *Palaeogeography, Palaeoclimatology, Palaeoecology (Global and Planetary Change Section)*, 90: 225-229.
157. Salomonson, V.V., and Mao, J.P., 2004: A Sensitivity Analysis of the MODIS Normalized Difference Snow Index. *IGARSS 2004: IEEE International Geoscience and Remote Sensing Symposium Proceedings*, Vols 1-7 - *Science for Society: Exploring and Managing a Changing Planet*, 3717-3720.
158. Salomonson, V.V. and I. Appel, 2004: Estimating Fractional Snow Cover from MODIS Using the Normalized Difference Snow Index, *Remote Sensing of Environment*, 89(3): 351-360. DOI: 10.1016/j.rse.2003.10.016.
159. Salomonson, V.V. and I. Appel, 2006: Development of the Aqua MODIS NDSI Fractional Snow Cover Algorithm and Validation Results, *IEEE Transactions on Geoscience and Remote Sensing*, 44(7): 1747-1756.
160. Scambos, T.A., T.M. Haran, M.A. Fahnestock, T.H. Painter and J. Bohlander, 2007: MODIS-Based Mosaic of Antarctica (MOA) Data Sets: Continent-Wide Surface Morphology and Snow Grain Size, *Remote Sensing of Environment*, 111(2-3): 242-257. DOI:10.1016/j.rse.2006.12.020.
161. Scharfen, G.R., Hall, D.K., Khalsa, S.J.S., Wolfe, J.D., Marquis, M.C., Riggs, G.A. and McLean, B., 2000: Accessing the MODIS Snow and Ice Products at the NSIDC DAAC. In: Stein, T.I. (ed.), *IGARSS 2000: Proc. IEEE 2000 International Geoscience and Remote Sensing Symposium*, Vol I - Vi, Proceedings, 2059-2061.
162. Scharfen, G. and S. Khalsa, 2002: Assessing the Utility of MODIS for Monitoring Snow and Sea Ice Extent, *Observing Our Cryosphere from Space: Techniques and Methods for Monitoring for Snow and Ice with Regard to Climate Change*, p. 122-127.
163. Scharfen, G. and A. Varani, 2000: Searching for NOAA Data: Empowering Users and Streamlining Information Access, *Earth System Monitor*, 10(4):1-16.
164. Scharfen, G.R., D.K. Hall, S.J.S. Khalsa, J.D. Wolfe, M.C. Marquis, G.A. Riggs and B. McLean, 2000: Accessing the MODIS Snow and Ice Products at the NSIDC DAAC, *Geoscience and Remote Sensing Symposium, 2000, IGARSS 2000, Institute of Electrical*

- and Electronics Engineers (IEEE) International Conference*, p. 2059-2061.
165. Serreze, M.C. and R.G. Barry, 2000: Atmospheric Components of the Arctic Ocean Hydrologic Budget Assessed from Rawinsonde Data, *NATO Science Series*, 2: *Environmental Security*, 70: 141-161.
 166. Shamir, E. and Georgakakos, K.P., 2006: Distributed Snow Accumulation and Ablation Modeling in the American River Basin. *Advances in Water Resources*, 29: 558-570.
 167. Shamir, E. and K.P. Georgakakos, 2006: Distributed Snow Accumulation and Ablation Modeling in the American River Basin, *Advances in Water Resources*, 29: 558-570. DOI: 10.1016/j.advwatres.2005.06.010.
 168. Shimamura, Y. , T. Izumi and H. Matsuyama, 2006: Evaluation of a useful method to identify snowcovered areas under vegetation - comparisons among a newly proposed snow index, normalized difference snow index, and visible reflectance, *International Journal of Remote Sensing*, 27: 21, 4867 — 4884, doi: 10.1080/01431160600639693, URL: <http://dx.doi.org/10.1080/01431160600639693>
 169. Simic, A., Fernandes, R., Brown, R., Romanov, P., Park, W., Hall, D.K. and Ca, A., 2003: Validation of MODIS, VEGETATION, and GOES plus SSM/I Snow Cover Products Over Canada Based on Surface Snow Depth Observations. *IGARSS 2003: IEEE International Geoscience and Remote Sensing Symposium, Vols I - VII, Proceedings – Learning from Earth's Shapes and Sizes*, 836-838.
 170. Simic, A., R. Fernandes, R. Brown, P. Romanov and W. Park, 2004: Validation of Vegetation, MODIS and GOES+SSM/I Snow-Cover Products Over Canada Based on Surface Snow Depth Observations, *Hydrological Processes*, 18(6): 1089-1104. DOI: 10.1002/hyp.5509.
 171. Sirguey, P., R. Mathieu, Y. Arnaud, M. Khan and J. Chanussot, 2008: Improving MODIS spatial resolution for snow mapping using wavelet fusion and ARSIS concept, *IEEE Geoscience and Remote Sensing Letters*, 5:78-82.
 172. Sirguey, P., R. Mathieu and Y. Arnaud, 2009: Subpixel Monitoring of the Seasonal Snow Cover with MODIS at 250m Spatial Resolution in the Southern Alps of New Zealand: Methodology and Accuracy Assessment, *Remote Sensing of Environment*, 113(1): 160-180. DOI: 10.1016/j.rse.2008.09.008.
 173. Slater, A.G., M.P. Clark and A.P. Barrett, 2009: Comment on “Estimating the distribution of snow water equivalent using remotely sensed snow cover data and a spatially distributed snowmelt model: A multi-resolution, multi-sensor comparison” [by Noah P. Molotch and Steven A. Margulis, *Adv. Water Resour.*, 31:1503–1514,] *Adv. Water Resour.*, 32:1680–1684.
 174. Sorman, A.U., Akyurek, Z., Sensoy, A., Sorman, A.A. and Tekeli, A.E., 2007: Commentary on Comparison of MODIS Snow Cover and Albedo Products with Ground Observations Over the Mountainous Terrain of Turkey, *Hydrology and Earth System Sciences*, 11(4):1353-1360.
 175. Sorman, A. A., et al. 2009. Modeling and Forecasting Snowmelt Runoff Process using the HBV Model in the Eastern Part of Turkey. *Hydrological Processes* 23(7): 1031-1040.
 176. Stehr, A., Debels, P., Arumi, J.L., Romero, F. and Alcayaga, H., 2009: Combining the Soil and Water Assessment Tool (SWAT) and MODIS Imagery To Estimate Monthly Flows in a Data-Scarce Chilean Andean Basin. *Hydrological Sciences Journal-Journal Des Sciences Hydrologiques*, 54: 1053-1067.

177. Stroeve, J.C., Box, J.E. and Haran, T., 2006: Evaluation of the MODIS (MOD10A1) Daily Snow Albedo Product Over the Greenland Ice Sheet. *Remote Sensing of Environment*, 105: 155-171.
178. Su, H., et al, 2008: Enhancing the Estimation of Continental-Scale Snow Water Equivalent by Assimilating MODIS Snow Cover with the Ensemble Kalman Filter, *Journal of Geophysical Research, Atmospheres*, 113(D8) D08120. DOI: 10.1029/2007JD009232.
179. Tait, A., Barton, J. and Hall, D.K., 2001: A Prototype MODIS-SSM/I Snow Mapping Method. In: Owe, M., Braubaker, K., Ritchie, J. and Rango, A. (eds.), *Remote Sensing and Hydrology 2000*, 139-141.
180. Tait, A.B., Barton, J.S. and Hall, D.K., 2001: A Prototype MODIS-SSM/I Snow-Mapping Algorithm. *International Journal of Remote Sensing*, 22: 3275-3284.
181. Tang, Q. and Dennis P. Lettenmaier, 2010: Use of satellite snow-cover data for streamflow prediction in the Feather River Basin, California, *International Journal of Remote Sensing*, 31:14, 3745-3762.
182. Tedesco, M. and Miller, J., 2007: Northern Hemisphere Snow-Covered Area Mapping: Optical Versus Active and Passive Microwave Data. *IEEE Geoscience and Remote Sensing Letters*, 4: 221-225.
183. Tekeli, A.E., Akyurek, Z., Sorman, A.A., Sensoy, A. and Sorman, A.U., 2005: Using MODIS Snow Cover Maps in Modeling Snowmelt Runoff Process in the Eastern Part of Turkey, *Remote Sensing of Environment* 97(2): 216-230.
184. Tekeli, A.E., Akyurek, Z., Sorman, A.A., Sensoy, A. and Sorman, A.U., 2006: Accuracy Assessment of MODIS Daily Snow Albedo Retrievals with In Situ Measurements in Karasu Basin, Turkey, *Hydrological Processes*, 20(4): 705-721. DOI: 10.1002/hyp.6114.
185. Tian, G.L., Xiao, D.H., Cai, X.W., Xing, Y.L., Wen, L.L., Zheng, G.G. and Ji, Z.R., 2008: An Application of MODIS Data to Snow Cover Monitoring in a Pastoral Area: A Case Study in Northern Xinjiang, China. *Remote Sensing of Environment*, 112: 1514-1526.
186. Tilton, J.C., Lawrence, W.T. and Plaza, A.J., 2006: Utilizing Hierarchical Segmentation to Generate Water and Snow Masks to Facilitate Monitoring change with remotely sensed image data. *Giscience & Remote Sensing*, 43: 39-66.
187. Tong, J., Dery, S.J. and Jackson, P.L., 2009: Interrelationships Between MODIS/Terra Remotely Sensed Snow Cover and the Hydrometeorology of the Quesnel River Basin, British Columbia, Canada. *Hydrology and Earth System Sciences*, 13: 1439-1452.
188. Tong, J., Dery, S.J. and Jackson, P.L., 2009: Topographic Control of Snow Distribution in an Alpine Watershed of Western Canada Inferred from Spatially-filtered MODIS Snow Products. *Hydrology and Earth System Sciences*, 13: 319-326.
189. Tong, J. and I. Velicogna, 2010: A comparison of AMSR-E Aqua snow products with *in situ* observations and MODIS snow cover products in the Mackenzie River Basin, Canada, *Remote Sensing*, 2:2313-2322, doi:10.3390/rs2102313.
190. Trepte, Q., P. Minnis and R. Arduini, 2002: Daytime and Night-time Polar Cloud and Snow Identification Using MODIS Data, *Proceedings of SPIE 3rd International Asia-Pacific Environmental Remote Sensing Symposium*.
191. Wang, J. and Li, W., 2003: Comparison of Methods of Snow Cover Mapping by Analyzing the

- Solar Spectrum of Satellite Remote Sensing Data in China, *International Journal of Remote Sensing*, 24: 4129-4136.
192. Vivenzio, D., R. Archer, W. Buytaert, H.J. Fowler, G.B. Greenwood, A.F. Hamlet, Y. Huang, G. Koboltschnig, M.I. Litaor, J.I. López-Moreno, S. Lorentz, B. Schädler, H. Schreier, K. Schwaiger, M. Vuille, and R. Woods: 2011: Climate change and mountain water resources: overview and recommendations for research, management and policy, *Hydrol. Earth Syst. Sci.*, 15, 471-504, doi:10.5194/hess-15-471-2011.
193. Wang, L., J.J. Qu, J. Xiong, H. Xianjun, X. Yong and C. Nianzeng, 2006: A Preliminary Study of Aqua/MODIS Snow Coverage Continuity with Simulated Band 6, *Remote Sensing and Modeling of Ecosystems for Sustainability III*, edited by Wei Gao, Susan L. Ustin, *Proc. of SPIE* Vol. 6298, 62981A-1, doi: 10.1117/12.680953.
194. Wang, L., J.J. Qu, J. Xiong, H. Xianjun, X. Yong and C. Nianzeng, 2006: A Preliminary Study of Aqua/MODIS Snow Coverage Continuity with Simulated Band 6, *Remote Sensing and Modeling of Ecosystems for Sustainability III*, edited by Wei Gao, Susan L. Ustin, *Proc. of SPIE* Vol. 6298, 62981A-1, doi: 10.1117/12.680953.
195. Wang, L., J.J. Qu, X. Xiaoxiong and X. Xiong, 2006: A New Method for Retrieving Band 6 of Aqua MODIS, *IEEE Geoscience and Remote Sensing Letters*, 3(2):267.
196. Wang, L., X. Xiaoxiong, J.J. Qu, X. Yong, H. Xianjun and C. Nianzeng, 2007: Impact assessment of Aqua MODIS band-to-band misregistration on snow index *Journal of Applied Remote Sensing*, Vol. 1, 013531 (30 August 2007).
197. Wang, X.W. and Xie, H.J., 2009: New Methods for Studying the Spatiotemporal Variation of Snow Cover Based on Combination Products of MODIS Terra and Aqua. *Journal of Hydrology*, 371: 192-200.
198. Wang, X.W., Xie, H.J., Liang, T.G. and Huang, X.D., 2009: Comparison and Validation of MODIS Standard and New Combination of Terra and Aqua Snow Cover Products in Northern Xinjiang, China. *Hydrological Processes*, 23: 419-429.
199. Wang, X., H. Xie, T. Liang and X. He, 2008: Evaluation of MODIS Snow Cover and Cloud Mask and its Application in Northern Xinjiang, China, *Remote Sensing of Environment*, 112(4): 1497-1513. DOI: 10.1016/j.rse.2007.05.016
200. Winther, J. G. and D. K. Hall, 1999: Satellite-derived Snow Coverage Related to Hydropower Production in Norway: Present and Future, *International Journal of Remote Sensing*, 20(15-16): 2991-3008.
201. Xie, H.J., Wang, X.W. and Liang, T.G., 2009: Development and Assessment of Combined Terra and Aqua Snow Cover Products in Colorado Plateau, USA and Northern Xinjiang, China. *Journal of Applied Remote Sensing*, 3, doi:10.1117/1.3265996.
202. Zaichik, B.F. and Rodell, M., 2009: Forward-Looking Assimilation of MODIS-Derived Snow-Covered Area into a Land Surface Model. *Journal of Hydrometeorology*, 10: 130-148.
203. Zhang, Y., H. Fu and E. Dai, 2011: Snow monitoring of Xinjiang using MODIS data, *Geoinformatics*, 24-26 June 2011, doi:10.1109/Geoinformatics.2011.5980896.
204. Zhao, H.X. and Fernandes, R., 2009: Daily Snow Cover Estimation from Advanced Very High Resolution Radiometer Polar Pathfinder data over Northern Hemisphere Land Surfaces During 1982-2004. *Journal of Geophysical Research-Atmospheres*, 114.

205. Zhou X.B., H.J. Xie and J.M.H. Hendrickx, 2005: Statistical Evaluation of Remotely Sensed Snow-Cover Products with Constraints from Streamflow and SNOTEL Measurements, *Remote Sensing of the Environment*, 94(2): 214-231.

Bibliography of MODIS Sea Ice Papers, updated 5-9-2011

1. Brown, I.C. and T.A. Scambos, 2004: Satellite Monitoring of Blue-Ice Extent Near Byrd Glacier, Antarctica, *Annals of Glaciology*, 39: 223-230.
2. Cavalieri, D.J., Markus, T., Hall, D.K., Gasiewski, A.J., Klein, M. and Ivanoff, A., 2006: Assessment of EOS aqua AMSR-E Arctic Sea Ice Concentrations Using Landsat-7 and Airborne Microwave Imagery. *IEEE Transactions on Geoscience and Remote Sensing*, 44: 3057-3069.
3. Cavalieri, D.J., T. Markus, D.K. Hall, A. Ivanoff and E. Glick, in press: Assessment of AMSR-E Antarctic winter sea ice concentrations using Aqua MODIS, *IEEE TGRS*.
4. Ciappa, A. and G. Budillon, 2012: The Terra Nova Bay (Antarctica) polynya observed by MODIS ice surface temperature imagery from May to June 2009, *International Journal of Remote Sensing*, 33(14): 4567-4582.
5. Ciappa, A., L. Pietranera, G. Budillon, 2012: Observations of the Terra Nova Bay (Antarctica) polynya by MODIS ice surface temperature imagery from 2005 to 2010, *Remote Sensing of Environment*, 119:158– 172.
6. Drue, C. and G. Heinemann, 2005: Accuracy Assessment of Sea-Ice Concentrations from MODIS Using In-Situ Measurements, *Remote Sensing of Environment*, 95(2): 139-149. DOI: 10.1016/j.rse.2004.12.004.
7. Greuell, W. and J. Oerlemans, 2004: Narrowband-to-Broadband Albedo Conversion for Glacier Ice and Snow: Equations Based on Modeling and Ranges of Validity of the Equations, *Remote Sensing of the Environment*, 89(1): 95-105.
8. Hall, D.K., G.A. Riggs and V.V. Salomonson, 2001: Algorithm Theoretical Basis Document (ATBD) for the MODIS Snow and Sea Ice-Mapping Algorithms, <http://modis-snow-ice.gsfc.nasa.gov/atbd.html>
9. Hall, D.K., G.A. Riggs and V.V. Salomonson, 2006: MODIS Snow and Sea Ice Products, [Earth Science Satellite Remote Sensing--Volume I: Science and Instruments](#). Qu J editor, Springer-Verlag Press: Berlin, Heidelberg.
10. Hall, D.K., Riggs, G.A., Salomonson, V.V. and Scharfen, G.R., 2000: Early Results from the Moderate Resolution Imaging Spectroradiometer (MODIS) Global Snow and Ice Cover Products. In: Stein, T.I. (ed.), *IGARSS 2000: IEEE 2000 International Geoscience and Remote Sensing Symposium, Vol I - Vi, Proceedings*, 1763-1765.
11. Hall, D.K., Key, J.R., Casey, K.A., Riggs, G.A. and Cavalieri, D.J., 2004: Sea Ice Surface Temperature Product from MODIS. *IEEE Transactions on Geoscience and Remote Sensing*, 42: 1076-1087.
12. Hall, D.K., Riggs, G.A. and Salomonson, V.V., 2006: MODIS Snow and Sea Ice Products, [Earth Science Satellite Remote Sensing - Volume I: Science and Instruments](#), J.J. Qu, W. Gao, M. Kafatos, R.E. Murphy and V.V. Salomonson (eds.), Springer, New York, 154-181.
13. Heinrichs, J.F., D.J. Cavalieri and T. Markus, 2006: Assessment of EOS Aqua AMSR-E Arctic Sea Ice Concentrations Using Landsat-7 and Airborne Microwave Imagery, Institute of Electrical and Electronics Engineers (IEEE) *Transactions on Geoscience and Remote Sensing*, 44(11): 3070-03080.
14. Hori, M., Aoki, T., Stammes, K. and Li, W., 2007: ADEOS-II/GLI Snow/Ice products - Part III: Retrieved Results. *Remote Sensing of Environment*, 111: 291-336.

15. Kaleschke,L., X. Tian-Kunze, N. Maaß, M. Mäkynen, and M. Drusch, 2012: Sea ice thickness from SMOS brightness temperatures during the Arctic freeze-up period, *Geophysical Research Letters*, 39, L05501, doi:10.1029/2012GL050916.
16. Kaminski, M., M. Marquis, W.N. Meier and R. Weaver, 2004: NASA EOS Sensors Demonstrate Potential for Multiparameter Studies of Arctic Sea Ice, *EOS*, 85(46): 481, 488-489.
17. King, M.D., S. Platnick, P. Yang, A.G. Thomas, M.A. Gray, J.C. Riedi, S.A. Ackerman and K.-N. Liou, 2004: Remote Sensing of Liquid Water and Ice Cloud Optical Thickness and Effective Radius in the Arctic: Application of Airborne Multispectral MAS Data, *Journal of Atmospheric and Oceanic Technology*, 21(6): 857-875.
18. Latifovic, R. and D. Pouliot, 2007: Analysis of Climate Change Impacts on Lake Ice Phenology in Canada Using the Historical Satellite Data Record, *Remote Sensing of Environment*, 106(4): 492-507.
19. Li, S., X. Zhou, K. Morris and M. Jeffries, 2001: The Spatial Variability of Summer Sea Ice in the Amundsen Sea Seen from MODIS, RADARSAT SCANSAR and LANDSAT 7 ETM+ Images, *Proc. IGRSS, 2001*, Sydney Australia, 9-13 July, p. 160-162.
20. Mäkynen, M.P., B. Cheng, M.H. Similä, T. Vihma, and M.T. Hallikainen, 2007: Comparisons Between SAR Backscattering Coefficient and Results of a Thermodynamic Snow/Ice Model for the Baltic SeaLand-Fast Sea Ice, *IEEE Transactions on Geoscience and Remote Sensing*, 45(5):1131-1141.
21. Meier, W. N., 2004: NASA EOS Sensors Demonstrate Potential for Multiparameter Studies of Arctic Sea Ice, *EOS*, 85(46): 481, 488-489.
22. Pavelsky, T.M. and L.C. Smith, 2004: Spatial and Temporal Patterns in Arctic River Ice Breakup Observed with MODIS and AVHRR Time Series, *Remote Sensing of the Environment*, 93(3): 328-338.
23. Riggs, G.A., Hall, D.K. and Ackerman, S.A., 1999: Sea Ice Extent and Classification Mapping with the Moderate Resolution Imaging Spectroradiometer Airborne Simulator. *Remote Sensing of Environment*, 68: 152-163.
24. Riggs, G.A., D.K. Hall, J.R. Key, 2001: Initial Evaluation of MODIS Sea Ice Observations, *Proc. Eastern Snow Conference*, 58: 327-331.
25. Riggs, G.A., D. K. Hall and V. V. Salomonson, 2003: MODIS Sea Ice Products User Guide (with updates posted on website in 2006).
26. Riggs, G.A., D.K. Hall and V.V. Salomonson, 2006: MODIS Sea Ice Products User Guide to Collection 5, http://nsidc.org/data/docs/daac/modis_v5/dorothy_ice_doc.pdf.
27. Riggs, G.A. and D.K. Hall, in press: MODIS Snow and Ice Products – Assessment and Applications, NASA's Earth Observing System and the Science of ASTER, B. Ramachandran (ed.), Springer-Verlag.
28. Scambos, T.A., T.M. Haran and R. Massom, 2006: Validation of AVHRR and MODIS Ice Surface Temperature Products Using In Situ Radiometers, *Annals of Glaciology*, 44:345-351.
29. Scharfen, G.R., Hall, D.K., Khalsa, S.J.S., Wolfe, J.D., Marquis, M.C., Riggs, G.A. and McLean, B., 2000: Accessing the MODIS Snow and Ice Products at the NSIDC DAAC. In: Stein, T.I. (ed.), *IGARSS 2000: IEEE 2000 International Geoscience and Remote Sensing Symposium, Vol I - Vi*,

Proceedings, 2059-2061.

30. Shi, W., Wang, M., 2012: Sea ice properties in the Bohai Sea measured by MODIS-Aqua: 2. Study of sea ice seasonal and interannual variability, *Journal of Marine Systems*, 95:41 – 49.
31. Stroeve, J.C., J.E. Box and T. Haran, 2006: Evaluation of the MODIS (MOD10A1) Daily Snow Albedo Product Over the Greenland Ice Sheet, *Remote Sensing of Environment*, 105(2): 155-171.
32. Temimi, M., P. Romanov, H. Ghedira, R. Khanbilvardi & K. Smith, 2011: Sea-ice monitoring over the Caspian Sea using geostationary satellite data, *International Journal of Remote Sensing*, 32:6, 1575-1593, doi.org/10.1080/01431160903578820.
33. Wang, X., et al, 2008: Estimation of Sea and Lake Ice Characteristics with GOES-R ABI, <http://ams.confex.com/ams/pdfpapers/135792.pdf>.
34. Wang, X., J. R. Key, and Y. Liu, 2010: A thermodynamic model for estimating sea and lake ice thickness with optical satellite data, *JGR*, 115, C12035, doi:10.1029/2009JC005857.
35. Westermann, S., Langer, M., Boike, J., 2012: Systematic bias of average winter-time land surface temperatures inferred from MODIS at a site on Svalbard, Norway, *Remote Sensing of Environment*, 118:162 – 167.